

according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

2.0 Revision date Version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

VILLACRYL STC HOT POWDER

Substance / mixture mixture Number V210P

Other mixture names

V210A1P01 VILLACRYL STC HOT A1 Powder 80g V210A1P17 VILLACRYL STC HOT A1 Powder 20g V210A2P02 VILLACRYL STC HOT A2 Powder 80g V210A2P11 VILLACRYL STC HOT A2 Powder 40g V210A35P04 VILLACRYL STC HOT A3.5 Powder 80g V210A35P13 VILLACRYL STC HOT A3.5 Powder 40g V210A3P03 VILLACRYL STC HOT A3 Powder 80g V210A3P12 VILLACRYL STC HOT A3 Powder 40g V210A4P05 VILLACRYL STC HOT A4 Powder 80g V210A4P14 VILLACRYL STC HOT A4 Powder 40g V210B1P06 VILLACRYL STC HOT B1 Powder 80g V210B1P18 VILLACRYL STC HOT B1 Powder 20g V210B2P07 VILLACRYL STC HOT B2 Powder 80g V210B2P15 VILLACRYL STC HOT B2 Powder 40g V210C2P08 VILLACRYL STC HOT C2 Powder 80g V210C2P16 VILLACRYL STC HOT C2 Powder 40g V210C4P09 VILLACRYL STC HOT C4 Powder 80g V210C4P19 VILLACRYL STC HOT C4 Powder 20g V210D2P10 VILLACRYL STC HOT D2 Powder 80g V210D2P20 VILLACRYL STC HOT D2 Powder 20g V210E01 VILLACRYL STC HOT ENAMEL E1 Powder 20g V210E02 VILLACRYL STC HOT ENAMEL E2 Powder 20g V210E03 VILLACRYL STC HOT ENAMEL E3 Powder 20g V210E04 VILLACRYL STC HOT ENAMEL E4 Powder 20g

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

For professional use only. Solid component of acrylic material for dental crowns and bridges veneering VILLACRYL STC HOT.

Main intended use

Other medical devices PC-MED-OTH

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name Everall7 Sp. z o.o.

Address Augustówka 14, Warszawa, 02-981

Poland

Identification number (CRN) 002028511 VAT Reg No PI 5210124886 Phone +48 22 858 82 72 info@everall7.pl F-mail Web address everall7.pl

Competent person responsible for the safety data sheet

Everall7 Sp. z o.o. Name F-mail info@everall7.pl

1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

2.2. Label elements

none

Supplemental information

EUH210 Safety data sheet available on request.

EUH208 Contains dibenzoyl peroxide. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 617-008-00-0 CAS: 94-36-0 EC: 202-327-6	dibenzoyl peroxide		Org. Perox. B, H241 Skin Sens. 1, H317 Eye Irrit. 2, H319	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Usual extinguishing media: carbon dioxide, foam, extinguishing powders and coolant mist, sand.

Unsuitable extinguishing media

Water - full jet.



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Before handling the product, read all directions in this SDS. Avoid releasing the product into the environment. Avoid contact with skin, eyes and respiratory tract. Avoid creating dust. Use the product in well-ventilated rooms. Provide adequate exhaust ventilation in the workplace. Do not smoke, drink or eat during use. Remove contaminated clothing and protective equipment before eating meals in separate areas.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
80 g	talcum powder container	HDPE
40 g	talcum powder container	HDPE
20 a	talcum powder container	HDPE

Storage class
Storage temperature

13 - Other non-combustible solids

min 5 °C, max 25 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

dibenzoyl per	oxide				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	39 mg/m ³	Chronic effects systemic	Toxicity test	ECHA
Workers	Dermal	13.3 mg/kg bw/day	Chronic effects systemic	Toxicity test	ECHA
Workers	Dermal	34 μg/cm ²	Chronic effects local	Toxicity test	ECHA
Consumers	Oral	2 mg/kg bw/day	Chronic effects local	Toxicity test	ECHA



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state solid
Colour white
color intensity light

Odour without fragrance

Melting point/freezing point >150 °C

Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available

Flash point 390 °C Auto-ignition temperature 465 °C

Decomposition temperature data not available pH data not available Kinematic viscosity data not available

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1.1-1.18 g/cm³
Relative vapour density data not available
Particle characteristics data not available

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

not available

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl per	dibenzoyl peroxide										
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source			
Oral	LD₀	OECD 401	>2000 mg/kg		Mouse	F/M	Experimentall	ECHA			
							У				
Inhalation (dust/mist)	LC ₀	OECD 403	24.3 mg/l of air	4 hours	Rat (Rattus norvegicus)	М	Experimentall y	ECHA			

Skin corrosion/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl peroxide											
Route of exposure	Result	Method	Exposure time	Species	Value determination	Source					
Dermal	Not irritating	OECD 404	4 hours	Rabbit (New Zeland albino)	Experimentally	ECHA					

Serious eye damage/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl perox	dibenzoyl peroxide										
Route of exposure	Result	Exposure time	Species	Value determination	Source						
Eye	Irritating	5 minutes	Rabbit (New Zeland White)	Experimentally	ECHA						

Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl per	dibenzoyl peroxide											
Route of exposure	Result	Method	Exposure time	Species	Sex	Value determination	Source					
Dermal	Sensitizing	OECD 429		Mouse	F	Literary studies, Experimentally	ECHA					



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl peroxi	de						
Result	Method	Exposure time	Specific target organ	Species	Sex	Value determinati on	Source
Negative without metabolic activation, Negative with metabolic activation	OECD 471			Bacteria (Salmonella typhimurium)		Experiment ally	ECHA
Negative	OECD 474	2 days		Mouse	М	Experiment ally	ECHA

Carcinogenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl	peroxide								
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex	Value determina tion	Source
Oral	NOAEL		112-140 mg/kg bw/day	120 weeks	No carcinogeni c effect	Rat (Albino)	F/M	Experimen tally	ECHA
Oral	NOAEC		11.2-14.0 mg/kg bw/day	120 weeks	No carcinogeni c effect	Rat (Albino)	F/M	Experimen tally	ECHA
Oral	LOAEL		112-140 mg/kg bw/day	120 weeks	Reduced body weight	Rat (Albino)	F/M	Experimen tally	ECHA
Skin	NOEL	OECD 451	>2.6 mg/cm ²	co najmniej 104 weeks (7 days/week	No carcinogeni c effect	Rat (Rattus norvegicus)	F/M	Experimen tally	ECHA
Skin	LOAEL	OECD 451	0.3 mg/cm ²	co najmniej 104 weeks (7 days/week	No carcinogeni c effect	Rat (Rattus norvegicus)	F/M	Experimen tally	ECHA
Skin	NOAEL	OECD 451	>2.6 mg/cm ²	co najmniej 104 weeks (7 days/week	No carcinogeni c effect	Rat (Rattus norvegicus)	F/M	Experimen tally	ECHA

Reproductive toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

dibenzoyl _I	dibenzoyl peroxide											
Effect	Parameter	Method	Value	Exposure time	Result	Species	Sex	Value determina tion	Source			
Effects on fertility	NOAEL	OECD 422	500 mg/kg bw/day	51 days	No effect	Rat (Rattus norvegicus)	F/M	Experimen tally	ECHA			



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

dibenzoyl p	dibenzoyl peroxide											
Effect	Parameter	Method	Value	Exposure time	Result	Species	Sex	Value determina tion	Source			
Developme ntal toxicity	NOAEL	OECD 414	300 mg/kg bw/day	21 days	No effect	Rat (Rattus norvegicus)	F/M	Experimen tally	ECHA			

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Repeated dose toxicity

dibenzoyl	peroxide								
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex	Value determina tion	Source
Oral	NOEL	No effect		19-23 mg/kg bw/day	120 weeks	Rat (Rattus norvegicus)	F/M	Literary studies, Experimen tally	ECHA
Oral	NOAEL	Loss of body weight		190-230 mg/kg bw/day	120 weeks	Rat (Rattus norvegicus)	F/M	Literary studies, Experimen tally	ECHA
Dermal	NOAEL	No effect	OECD 451	>833 mg/kg bw/day	104 weeks (7 days/week)	Mouse	F/M	Experimen tally	ECHA
Dermal	NOAEL	No effect	OECD 451	0.17 mg/kg bw/day	104 weeks (7 days/week)	Mouse	F/M	Experimen tally	ECHA

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

dibenzoyl peroxide								
Parameter	Method	Value	Exposure time	Species	Environm ent	Value determination	Source	
LC50	OECD 203	60.2 μg/l	96 hours	Fish (Oncorhynchus mykiss)	Fresh water	Experimentally	ECHA	



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

dibenzoyl peroxide								
Parameter	Method	Value	Exposure time	Species	Environm ent	Value determination	Source	
NOEC	OECD 203	31.6 µg/l	96 hours	Fish (Oncorhynchus mykiss) Fresh water		Experimentally	ECHA	
EC50	OECD 202	110 μg/l	48 hours	Daphnia (Daphnia magna)	Fresh water	Experimentally	ECHA	
NOEC	OECD 202	76.5 μg/l	48 hours	Daphnia (Daphnia magna)	Fresh water	Experimentally	ECHA	
EC50	OECD 201	42.2-71.1 μg/l	72 hours	Algae (Selenastrum capricornutum)	Fresh water	Experimentally	ECHA	
EC50	OECD 209	35 mg/l	30 minutes	Bacteria (Salmonella typhimurium)	Activated sludge	Experimentally	ECHA	

Chronic toxicity

dibenzoyl peroxide								
Parameter	Method	Value	Exposure time	Species	Environm ent	Value determination	Source	
EC ₁₀	OECD 211	1 μg/l	21 days	Daphnia (Daphnia magna)	Fresh water	Experimentally	ECHA	

12.2. Persistence and degradability

Data for the mixture are not available.

Biodegradability

dibenzoyl peroxide									
Parameter	Method	Value	Exposure time	Environmen t	Value determinatio n	Result	Source		
	OECD 301D	71 %	28 days	Fresh water	Experimenta Ily	Easily biodegradable	ECHA		

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

20 03 01 mixed municipal waste

Packaging waste type code

20 01 39 Plastics

20 01 01 paper and cardboard

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

A list of additional standard phrases used in the safety data sheet

EUH210 Safety data sheet available on request.

EUH208 Contains dibenzoyl peroxide. May produce an allergic reaction.

Other important information about human health protection



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

 EC_{10} Concentration of a substance when it is affected 10% of the population EC_{50} Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LCo Lethal concentration of a substance in which it can be expected death of 0% of the

population

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LDo Lethal dose of a substance in which it can be expected death of 0% of the

population

LOAEL Lowest observed adverse effect level log Kow Octanol-water partition coefficient NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level NOEC No observed effect concentration

NOEL No observed effect level OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Eye Irrit. Eye irritation
Org. Perox. Organic peroxide
Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available



according to Commission Regulation (EU) 2020/878 as amended

VILLACRYL STC HOT POWDER

Creation date 01st August 2023

Revision date Version 2.0

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

Version 2.0 replaces the SDS version from 21.05.2021. Data updates and changes have been made to all sections of the SDS.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.